THE INSTITUTION
OF ELECTRICAL
ENGINEERS

IEE

IEE PROCEEDINGS-H

Microwaves, Antennas and Propagation

Vol. 132, 1985

Published by
The IEE, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, United Kingdom

IEE Proceedings Part H

Microwaves, Antennas and Propagation

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom.
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, United Kingdom

Volume 132 1985 UK ISSN 0143–7097

HONORARY EDITORS

Prof. J. Helszajn, *Heriot-Watt University*
Prof. A.D. Olver, *Queen Mary College*

Pages in issues of *IEE Proceedings Part H*, 1985

Pages	Issue No.	Date
1–72	1	February
73–148	2	April
149–220	3	June
221–272	4	July
273–344	5	August
345–412	6	October
413–484	7	December

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $2.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7097/85 $2.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling change of 50p per page, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 01 240 1871; Telex: 261176 IEELON G; Facsimile: 01 240 7735

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1985: The Institution of Electrical Engineers

Secretary of the IEE: H.H.W. Losty
Managing Editor: Bernard Dunkley; *Senior Assistant Editor*: Jenni Doig
Graphics Manager: Maurice Partridge; *Marketing Manager*: Alan Baldwin

Typeset by: Santype International Ltd., Salisbury, Wilts., United Kingdom
Printed by: Unwin Brothers Ltd., Old Woking, Surrey, United Kingdom

Index

IEE Proceedings Part H
Microwaves, Antennas and Propagation
Vol. 132, 1985

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceesings

Author index

A

Abdallah, E.A.F., and El-Deeb, N.A. Fast, accurate computational method for asymmetric coupled microstrip parameters p69
Adeniran, S.A. New techniques for absolute temperature compensation of tunable resonant cavities p471
Aly, M.S., and Mahmoud, S.F. Propagation and radiation behaviour of a longitudinally slotted horn with dielectric-filled slots p477
Anderson, A.P., and Sali, S. New possibilities for phaseless microwave diagnostics. Part 1: Error reduction techniques p291

B

Bain, W.C. Wave-hop method of calculating propagation at LF and VLF, and stationary phase p138
Balakrishnan, N., and Bokhari, S.A. see Bokhari, S.A.
Baltes, H.P., Turner, R.F.B., Voss, W.A.G., and Tinga, W.R. see Turner, R.F.B.
Baribaud, M., Dubois, F., Floyrac, R., and Wang, S. Tomographic image reconstitution of objects from multi-incidence microwave exploration p286
Bates, R.H.T., Yeo, T.S., and Wall, D.J.N. Towards an algorithm for dielectric-edge diffraction coefficients p461
Bedair, S.S. Characteristics of asymmetrical coupled shielded microstrip lines p342
Beeckman, P.A. Analysis of phase errors in antenna-measurements applications to phase-pattern corrections and phase-centre determination p391
Beyer, A., and Wolff, I. Design of a millimetre-wave ferrite isolator at 28.5 GHz p244
Bhattacharyya, A.K., and Garg, R. Generalised transmission line model for microstrip patches p93
Boeck, G., and John, W. see John, W.
Bokhari, S.A., and Balakrishnan, N. A spectral iteration technique for the analysis of Yagi-Uda arrays p198
Bornemann, J. Rigorous field theory analysis of quasiplanar waveguides p1
Bouthinon, M., Razban, T., and Coumes, A. see Razban, T.
Butler, C.M., Karunaratne, M.D.G., and Michalski, K.A. see Karunaratne, M.D.G.
Butler, C.M., Michalski, K.A., and Smith, C.E. see Michalski, K.A.

C

Chakraborti, N.B., and Kal, S. see Kal, S.
Chan, K.K., and Patel, P.D. see Patel, P.D.
Charlton, D.G., Holt, A.R., and Evans, B.G. Effect of common volume models on bistatic scattering and interface calculations p440
Cheah, J.Y.C., Magdy, M.A., and Paoloni, F.J. see Magdy, M.A.
Clarke, J., and Dunsmore, M.R.B. High-power tunable YIG filters p251
Copeland, P.R., Davies, W.S., Hurren, S.J., and Fall, E.D.S. see Davies, W.S.
Cornbleet, S. General design of two-reflector antennas p47
Coumes, A., Razban, T., and Bouthinon, M. see Razban, T.

D

Dahele, J.S., and Lee, K.F. Theory and experiment on microstrip antennas with airgaps p455
Daly, P. Dual-potential problems in transmission lines with limited or no symmetry p351
Das, A., and Das, S.K. Input impedance of a probe excited circular microstrip ring antenna p384
Das, S.K., and Das, A. see Das, A.
Davies, W.S., Hurren, S.J., Fall, E.D.S., and Copeland, P.R. Antenna pattern degradation due to tower guy wires on microwave radio systems p181
Davis, L.E., and Nicol, A. see Nicol, A.
De Pourcq, M. Field and power-density calculations in closed microwave systems by three-dimensional finite differences p360
Dubois, F., Baribaud, M., Floyrac, R., and Wang, S. see Baribaud, M.
Dunsmore, M.R.B., and Clarke, J. see Clarke, J.

E

Ediss, G.A. Dual-mode horns at millimetre and submillimetre wavelengths p215
Ediss, G.A., S-J, Wang., and Keen, N.J. Quasioptical components for 230 GHz and 460 GHz p99
El-Deeb, N.A., and Abdallah, E.A.F. see Abdallah, E.A.F.
Elliot, R.S., Orchard, H.J., and Stern, G.J. see Orchard, H.J.
Engberg, J. Noise parameters of embedded noisy two-port networks p17
Evans, B.G., Charlton, D.G., and Holt, A.R. see Charlton, D.G.
Evans, S., and Yeung, W.K. see Yeung, W.K.

F

Fall, E.D.S., Davies, W.S., Hurren, S.J., and Copeland, P.R. see Davies, W.S.
Floyrac, R., Baribaud, M., Dubois, F., and Wang, S. see Baribaud, M.
Franceschetti, G., and Mohsen, A. Recent developments in the analysis of reflector antennas. A review p447

G

Gardiol, F.E., Sphicopoulos, T., and Teodoridis, V. see Sphicopoulos, T.
Gardiol, F.E., and Mosig, J.R. see Mosig, J.R.
Garg, R., and Bhattacharyya, A.K. see Bhattacharyya, A.K.
Georgiev, G.N., and Ivanov, K.P. see Ivanov, K.P.
Godwin, M.P., Henchy, F.B.N., and Marshall, W.N. Design and validation of a corrective subreflector for a 13.7 m antenna by microwave holography p447
Griffin, E.J., and Hill, L.D. see Hill, L.D.

H

Helszajn, J. Contour-integral equation formulation of complex gyrator admittance of junction circulators using triangular resonators p255
Helszajn, J. Design of a 90° 12 GHz Faraday rotator polariser using a cavity technique p237
Helszajn, J., and Thorpe, W. 18–26 GHz finline resonance isolators using hexagonal ferrites p73
Henchy, F.B.N., Godwin, M.P., and Marshall, W.N. see Godwin, M.P.
Henderson, A., and James, J.R. Near-field power transfer effects in small electromagnetic applicators for inducing hyperthermia p189
Hill, L.D. Six port reflectometer for the 75–105 GHz band p141
Hill, L.D., and Griffin, E.J. Automatic stepped-frequency six-port reflectometer for WG22 p77
Holt, A.R., Charlton, D.G., and Evans, B.G. see Charlton, D.G.
Horno, M., and Medina, F. see Medina, F.
Hudson, J.E. Antenna adaptivity by direction finding and null steering p307
Hudson, J.E. Decomposition of antenna signals into plane waves p53
Hurren, S.J., Davies, W.S., Fall, E.D.S., and Copeland, P.R. see Davies, W.S.

I

Itoh, T., and Yun, S.W. see Yun, S.W.
Ivanov, K.P., and Georgiev, G.N. Asymptotic study of rotationally symmetric waves in a circular anisotropic waveguide p261

J

James, J.R., and Henderson, A. see Henderson, A.
Janiczak, B.J. Phase constant characteristics of generalised asymmetric three-coupled microstrip lines p23
John, W., and Boeck, G. New MIC 4-port circulator based on ferrite loaded microstrip-slot coupler p227
Judah, S.K. Calibration of multiport reflectometers p468

K

Kal, S., and Chakraborti, N.B. Finite-element analysis of helical phase shifters p231
Kalyanasundaram, N. On the distribution of current on a straight wire antenna p407
Karunaratne, M.D.G., Michalski, K.A., and Butler, C.M. TE-scattering from a conducting strip loaded by a dielectric cylinder p375
Karunaratne, M.D.G., Michalski, K.A., and Butler, C.M. TM scattering from a conducting strip loaded by a dielectric cylinder p115
Karwowski, A. Low-frequency approach to the problem of a vertical wire antenna above an imperfect ground p123
Karwowski, A., and Szymańda, J. Vector potential of a vertical current element over a lossy ground p326
Keen, N.J., Ediss, G.A., and S-J, Wang. see Ediss, G.A.
Kishk, A.A., and Shafai, L. see Shafai, L.
Kooi, P.S., Leong, M.S., and Satya Prakash, A.L. Finite-element analysis of the shielded cylindrical dielectric resonator p7

L

Langley, R.J., Lee, C.K., and Parker, E.A. see Lee, C.K.
Langley, R.J., and Lee, C.K. see Lee, C.K.
Lee, C.K., Langley, R.J., and Parker, E.A. Single-layer multiband frequency-selective surfaces p411
Lee, C.K., and Langley, R.J. Equivalent-circuit models for frequency-selective surfaces at oblique angles of incidence p395
Lee, K.F., and Dahele, J.S. see Dahele, J.S.
Leong, M.S., Kooi, P.S., and Satya Prakash, A.L. see Kooi, P.S.
Lin, Y., and Shafai, L. Moment-method solution of the near-field distribution and far-field patterns of microstrip antennas p369

M

Maclean, T.S.M., Obaid, A.A.S., and Razaz, M. see Obaid, A.A.S.
Magdy, M.A., Paoloni, F.J., and Cheah, J.Y.C. An efficient algorithm for antenna synthesis updating following null-constraint changes p339
Mahmoud, S.F., and Aly, M.S. see Aly, M.S.
Marshall, W.N., Godwin, M.P., and Henchy, F.B.N. see Godwin, M.P.
McIntosh, D.J., and Sangster, A.J. see Sangster, A.J.
Medina, F., and Horno, M. Upper and lower bounds on mode capacitances for a large class of anisotropic multilayered microstrip-like transmission lines p157
Michalski, K.A. On the efficient evaluation of integrals arising in the Sommerfeld halfspace problem p312
Michalski, K.A., Karunaratne, M.D.G., and Butler, C.M. see Karunaratne, M.D.G.
Michalski, K.A., Smith, C.E., and Butler, C.M. Analysis of a horizontal two-element antenna array above a dielectric halfspace p335
Milsom, J.D. Exact ray path calculations in a modified Bradley/Dudeney model ionosphere p33
Mohsen, A. Representation of the electromagnetic fields of a dipole above an inhomogeneous half space p127
Mohsen, A., and Franceschetti, G. see Franceschetti, G.
Morgan, G.B., and Osborne, M.A. see Osborne, M.A.
Mosig, J.R., and Gardiol, F.E. General integral equation formulation for microstrip antennas and scatterers p424
Moupfouma, F. Model of rainfall-rate distribution for radio system design p39

N

Nešić, A., and Popović, B.D. see Popović, B.D.
Nešic, A., and Popović, B.D. Analysis of slot antenna on dielectric substrate p474
Ng, T.S. Array pattern synthesis by the method of alternating orthogonal projections: the general case p451
Ng, T.S. Generalised array pattern synthesis using the projection matrix p44
Ni, E., and Stumper, U. Permittivity measurements using a frequency-tuned microwave TE_{01} cavity resonator p27
Nicol, A., and Davis, L.E. Nonreciprocal coupling in dielectric image lines p269
Nisbet, W.T. Microwave ferrite engineering (Editorial) p221

O

Obaid, A.A.S., Maclean, T.S.M., and Razaz, M. Propagation characteristics of rectangular corrugated waveguides p413
Olver, A.D., and Voglis, E.E. see Voglis, E.E.
Orchard, H.J., Elliot, R.S., and Stern, G.J. Optimising the synthesis of shaped beam antenna patterns p63
Osborne, M.A., and Morgan, G.B. A load-pull technique for the determination of transistor *S* parameters under large-signal conditions p419

P

Paoloni, F.J., Magdy, M.A., and Cheah, J.Y.C. see Magdy, M.A.
Park, W.S., and Seshadri, S.R. Theory of the grating coupler for a grounded-dielectric-slab-waveguide p149
Parker, E.A., Lee, C.K., and Langley, R.J. see Lee, C.K.
Parker, E.A., and Vardaxoglou, J.C. Plane-wave illumination of concentric-ring frequency-selective surfaces p176
Patel, P.D., and Chan, K.K. Optimisation of contoured beams for satellite antennas p400
Popović, B.D., and Nešić, A. Some extensions of the concept of complementary electromagnetic structures p131
Popović, B.D., and Nešic, A. see Nešic, A.

R

Razaz, M., Obaid, A.A.S., and Maclean, T.S.M. see Obaid, A.A.S.
Razban, T., Bouthinon, M., and Coumes, A. Microstrip circuit for converting microwave low power to DC energy p107

S

S-J, Wang., Ediss, G.A., and Keen, N.J. see Ediss, G.A.
Sali, S. New possibilities for phaseless microwave diagnostics. Part 2: The uniqueness problem and half plane imaging p299
Sali, S., and Anderson, A.P. see Anderson, A.P.
Sangster, A.J., and McIntosh, D.J. Circular-electric-mode hybrid coupler p164
Sangster, A.J., and McIntosh, D.J. Coaxial waveguide to circular cylindrical waveguide junction p203
Satya Prakash, A.L., Kooi, P.S., and Leong, M.S. see Kooi, P.S.
Sebak, A.A., and Shafai, L. see Shafai, L.
Seshadri, S.R., and Park, W.S. see Park, W.S.
Shafai, L., and Kishk, A.A. Phase centre of small primary feeds and its effects on the feed performance p207
Shafai, L., and Lin, Y. see Lin, Y.
Shafai, L., and Sebak, A.A. Radiation characteristics and polarisation of undulated microstrip line antennas p433
Smith, C.E., Michalski, K.A., and Butler, C.M. see Michalski, K.A.
Sphicopoulos, T., Teodoridis, V., and Gardiol, F.E. Dyadic Green function for the electromagnetic field in multilayered isotropic media: an operator approach p329
Stefan Johansson, F. Analysis and design of double-layer frequency-selective surfaces p319
Stern, G.J., Orchard, H.J., and Elliot, R.S. see Orchard, H.J.
Stumper, U., and Ni, E. see Ni, E.
Szymańda, J., and Karwowski, A. see Karwowski, A.

T

Teodoridis, V., Sphicopoulos, T., and Gardiol, F.E. see Sphicopoulos, T.
Thorpe, W., and Helszajn, J. see Helszajn, J.
Tinga, W.R., Turner, R.F.B., Voss, W.A.G., and Baltes, H.P. see Turner, R.F.B.
Tooke, A.O. Hot-pressed polycrystalline yttrium iron garnet for microwave loss investigations p267
Tsiboukis, T.D. Estimation of the characteristic impedance of a transmission line by variational methods p171
Turner, R.F.B., Voss, W.A.G., Tinga, W.R., and Baltes, H.P. Eigenfrequency distributions in multimode cavities p82

V

Vardaxoglou, J.C., and Parker, E.A. see Parker, E.A.
Voglis, E.E., and Olver, A.D. Shaped dual-offset antenna with dielectric cone feed for DBS reception p110
Voss, W.A.G., Turner, R.F.B., Tinga, W.R., and Baltes, H.P. see Turner, R.F.B.

W

Wall, D.J.N., Bates, R.H.T., and Yeo, T.S. see Bates, R.H.T.
Wang, J.J.H. General method for the computation of radiation in stratified media p58
Wang, S., Baribaud, M., Dubois, F., and Floyrac, R. see Baribaud, M.
Williamson, A.G. Coaxially fed hollow probe in a rectangular waveguide p273
Wolff, I., and Beyer, A. see Beyer, A.

Y

Yarman, B.S. Modern approaches to broadband matching problems p87
Yeo, T.S., Bates, R.H.T., and Wall, D.J.N. see Bates, R.H.T.
Yeung, W.K., and Evans, S. Time-domain microwave target imaging p345
Yun, S.W., and Itoh, T. Nonreciprocal wave propagation in a hollow image guide with a ferrite layer p222

Subject index

Near-field power transfer effects in small electromagnetic applicators for inducing hyperthermia. A. Henderson and J.R. James p189
Tomographic image reconstitution of objects from multi-incidence microwave exploration. M. Baribaud, F. Dubois, R. Floyrac and S. Wang p286

ANTENNAS

Antenna adaptivity by direction finding and null steering. J.E. Hudson p307
On the efficient evaluation of integrals arising in the Sommerfeld halfspace problem. K.A. Michalski p312

ANTENNAS (ADAPTIVE)

An efficient algorithm for antenna synthesis updating following null-constraint changes. M.A. Magdy, F.J. Paoloni and J.Y.C. Cheah p339
Array pattern synthesis by the method of alternating orthogonal projections: the general case. T.S. Ng p451
Decomposition of antenna signals into plane waves. J.E. Hudson p53

ANTENNAS (ARRAYS)

A spectral iteration technique for the analysis of Yagi-Uda arrays. S.A. Bokhari and N. Balakrishnan p198
Analysis and design of double-layer frequency-selective surfaces. F. Stefan Johansson p319
Analysis of a horizontal two-element antenna array above a dielectric halfspace. K.A. Michalski, C.E. Smith and C.M. Butler p335
Decomposition of antenna signals into plane waves. J.E. Hudson p53
Generalised array pattern synthesis using the projection matrix. T.S. Ng p44
Optimising the synthesis of shaped beam antenna patterns. H.J. Orchard, R.S. Elliot and G.J. Stern p63

ANTENNAS (DIPOLE)

A spectral iteration technique for the analysis of Yagi-Uda arrays. S.A. Bokhari and N. Balakrishnan p198
Analysis of a horizontal two-element antenna array above a dielectric halfspace. K.A. Michalski, C.E. Smith and C.M. Butler p335
Representation of the electromagnetic fields of a dipole above an inhomogeneous half space. A. Mohsen p127
Vector potential of a vertical current element over a lossy ground. A. Karwowski and J. Szymańda p326

ANTENNAS (HORNS AND FEEDS)

Dual-mode horns at millimetre and submillimetre wavelengths. G.A. Ediss p215
Phase centre of small primary feeds and its effects on the feed performance. L. Shafai and A.A. Kishk p207
Propagation and radiation behaviour of a longitudinally slotted horn with dielectric-filled slots. M.S. Aly and S.F. Mahmoud p477
Quasioptical components for 230 GHz and 460 GHz. G.A. Ediss, Wang. S-J and N.J. Keen p99

ANTENNAS (MEASUREMENTS)

Analysis of a horizontal two-element antenna array above a dielectric halfspace. K.A. Michalski, C.E. Smith and C.M. Butler p335
Analysis of phase errors in antenna-measurements applications to phase-pattern corrections and phase-centre determination. P.A. Beeckman p391
Design and validation of a corrective subreflector for a 13.7 m antenna by microwave holography. M.P. Godwin, F.B.N. Henchy and W.N. Marshall p447

ANTENNAS (MICROSTRIP)

General integral equation formulation for microstrip antennas and scatterers. J.R. Mosig and F.E. Gardiol p424
Generalised transmission line model for microstrip patches. A.K. Bhattacharyya and R. Garg p93
Input impedance of a probe excited circular microstrip ring antenna. A. Das and S.K. Das p384
Moment-method solution of the near-field distribution and far-field patterns of microstrip antennas. Y. Lin and L. Shafai p369
Near-field power transfer effects in small electromagnetic applicators for inducing hyperthermia. A. Henderson and J.R. James p189
Radiation characteristics and polarisation of undulated microstrip line antennas. L. Shafai and A.A. Sebak p433
Theory and experiment on microstrip antennas with airgaps. J.S. Dahele and K.F. Lee p455

ANTENNAS (REFLECTORS)

Analysis and design of double-layer frequency-selective surfaces. F. Stefan Johansson p319
Design and validation of a corrective subreflector for a 13.7 m antenna by microwave holography. M.P. Godwin, F.B.N. Henchy and W.N. Marshall p447
Equivalent-circuit models for frequency-selective surfaces at oblique angles of incidence. C.K. Lee and R.J. Langley p395
General design of two-reflector antennas. S. Cornbleet p47
Optimisation of contoured beams for satellite antennas. P.D. Patel and K.K. Chan p400
Plane-wave illumination of concentric-ring frequency-selective surfaces. E.A. Parker and J.C. Vardaxoglou p176
Recent developments in the analysis of reflector antennas. A review. G. Franceschetti and A. Mohsen p447
Shaped dual-offset antenna with dielectric cone feed for DBS reception. E.E. Voglis and A.D. Olver p110
Single-layer multiband frequency-selective surfaces. C.K. Lee, R.J. Langley and E.A. Parker p411

ANTENNAS (SLOT)

Analysis of slot antenna on dielectric substrate. A. Nešic and B.D. Popović p474

ANTENNAS (THEORY)

A spectral iteration technique for the analysis of Yagi-Uda arrays. S.A. Bokhari and N. Balakrishnan p198
General design of two-reflector antennas. S. Cornbleet p47
General method for the computation of radiation in stratified media. J.J.H. Wang p58
Generalised array pattern synthesis using the projection matrix. T.S. Ng p44
Optimising the synthesis of shaped beam antenna patterns. H.J. Orchard, R.S. Elliot and G.J. Stern p63
Plane-wave illumination of concentric-ring frequency-selective surfaces. E.A. Parker and J.C. Vardaxoglou p176
Some extensions of the concept of complementary electromagnetic structures. B.D. Popović and A. Nešić p131
Towards an algorithm for dielectric-edge diffraction coefficients. R.H.T. Bates, T.S. Yeo and D.J.N. Wall p461
Vector potential of a vertical current element over a lossy ground. A. Karwowski and J. Szymańda p326

ANTENNAS (WIRE)

Antenna pattern degradation due to tower guy wires on microwave radio systems. W.S. Davies, S.J. Hurren, E.D.S. Fall and P.R. Copeland p181
Low-frequency approach to the problem of a vertical wire antenna above an imperfect ground. A. Karwowski p123
On the distribution of current on a straight wire antenna. N. Kalyanasundaram p407

DIELECTRIC MATERIALS

Analysis of slot antenna on dielectric substrate. A. Nešic and B.D. Popović p474
Finite-element analysis of the shielded cylindrical dielectric resonator. P.S. Kooi, M.S. Leong and A.L. Satya Prakash p7
Permittivity measurements using a frequency-tuned microwave TE_{01} cavity resonator. E. Ni and U. Stumper p27
TE-scattering from a conducting strip loaded by a dielectric cylinder. M.D.G. Karunaratne, K.A. Michalski and C.M. Butler p375
TM scattering from a conducting strip loaded by a dielectric cylinder. M.D.G. Karunaratne, K.A. Michalski and C.M. Butler p115

ELECTROMAGNETIC THEORY

Analysis of a horizontal two-element antenna array above a dielectric halfspace. K.A. Michalski, C.E. Smith and C.M. Butler p335
Dyadic Green function for the electromagnetic field in multilayered isotropic media: an operator approach. T. Sphicopoulos, V. Teodoridis and F.E. Gardiol p329
Eigenfrequency distributions in multimode cavities. R.F.B. Turner, W.A.G. Voss, W.R. Tinga and H.P. Baltes p82
Estimation of the characteristic impedance of a transmission line by variational methods. T.D. Tsiboukis p171
Field and power-density calculations in closed microwave systems by three-dimensional finite differences. M. De Pourcq p360
Finite-element analysis of the shielded cylindrical dielectric resonator. P.S. Kooi, M.S. Leong and A.L. Satya Prakash p7
General method for the computation of radiation in stratified media. J.J.H. Wang p58
Moment-method solution of the near-field distribution and far-field patterns of microstrip antennas. Y. Lin and L. Shafai p369
On the efficient evaluation of integrals arising in the Sommerfeld halfspace problem. K.A. Michalski p312
Representation of the electromagnetic fields of a dipole above an inhomogeneous half space. A. Mohsen p127
Rigorous field theory analysis of quasiplanar waveguides. J. Bornemann p1
Some extensions of the concept of complementary electromagnetic structures. B.D. Popović and A. Nešić p131
TE-scattering from a conducting strip loaded by a dielectric cylinder. M.D.G. Karunaratne, K.A. Michalski and C.M. Butler p375
TM. scattering from a conducting strip loaded by a dielectric cylinder. M.D.G. Karunaratne, K.A. Michalski and C.M. Butler p115
Tomographic image reconstitution of objects from multi-incidence microwave exploration. M. Baribaud, F. Dubois, R. Floyrac and S. Wang p286

FERRITES AND FERROMAGNETICS

18–26 GHz finline resonance isolators using hexagonal ferrites. J. Helszajn and W. Thorpe p73
Asymptotic study of rotationally symmetric waves in a circular anisotropic waveguide. K.P. Ivanov and G.N. Georgiev p261
Contour-integral equation formulation of complex gyrator admittance of junction circulators using triangular resonators. J. Helszajn p255
Design of a 90° 12 GHz Faraday rotator polariser using a cavity technique. J. Helszajn p237
Design of a millimetre-wave ferrite isolator at 28.5 GHz. A. Beyer and I. Wolff p244
Finite-element analysis of helical phase shifters. S. Kal and N.B. Chakraborti p231
High-power tunable YIG filters. J. Clarke and M.R.B. Dunsmore p251
Hot-pressed polycrystalline yttrium iron garnet for microwave loss investigations. A.O. Tooke p267
Microwave ferrite engineering (Editorial). W.T. Nisbet p221
New MIC 4-port circulator based on ferrite loaded microstrip-slot coupler. W. John and G. Boeck p227
Nonreciprocal coupling in dielectric image lines. A. Nicol and L.E. Davis p269
Nonreciprocal wave propagation in a hollow image guide with a ferrite layer. S.W. Yun and T. Itoh p222

IMAGE PROCESSING

Time-domain microwave target imaging. W.K. Yeung and S. Evans p345

MATHEMATICAL TECHNIQUES

A load-pull technique for the determination of transistor *S* parameters under large-signal conditions. M.A. Osborne and G.B. Morgan p419
An efficient algorithm for antenna synthesis updating following null-constraint changes. M.A. Magdy, F.J. Paoloni and J.Y.C. Cheah p339

Antenna adaptivity by direction finding and null steering. J.E. Hudson p307
Array pattern synthesis by the method of alternating orthogonal projections: the general case. T.S. Ng p451
Contour-integral equation formulation of complex gyrator admittance of junction circulators using triangular resonators. J. Helszajn p255
Decomposition of antenna signals into plane waves. J.E. Hudson p53
Dyadic Green function for the electromagnetic field in multilayered isotropic media: an operator approach. T. Sphicopoulos, V. Teodoridis and F.E. Gardiol p329
Finite-element analysis of helical phase shifters. S. Kal and N.B. Chakraborti p231
Low-frequency approach to the problem of a vertical wire antenna above an imperfect ground. A. Karwowski p123
New possibilities for phaseless microwave diagnostics. Part 1: Error reduction techniques. A.P. Anderson and S. Sali p291
New possibilities for phaseless microwave diagnostics. Part 2: The uniqueness problem and half plane imaging. S. Sali p299
On the efficient evaluation of integrals arising in the Sommerfeld halfspace problem. K.A. Michalski p312
Optimising the synthesis of shaped beam antenna patterns. H.J. Orchard, R.S. Elliot and G.J. Stern p63
Towards an algorithm for dielectric-edge diffraction coefficients. R.H.T. Bates, T.S. Yeo and D.J.N. Wall p461

MEASUREMENT AND MEASURING

Calibration of multiport reflectometers. S.K. Judah p468

METAL-INSULATOR-SEMICONDUCTOR STRUCTURES

Finite-element analysis of the shielded cylindrical dielectric resonator. P.S. Kooi, M.S. Leong and A.L. Satya Prakash p7

MICROSTRIP AND STRIPLINE

Characteristics of asymmetrical coupled shielded microstrip lines. S.S. Bedair p342
Fast, accurate computational method for asymmetric coupled microstrip parameters. E.A.F. Abdallah and N.A. El-Deeb p69
Microstrip circuit for converting microwave low power to DC energy. T. Razban, M. Bouthinon and A. Coumes p107
New MIC 4-port circulator based on ferrite loaded microstrip-slot coupler. W. John and G. Boeck p227
Phase constant characteristics of generalised asymmetric three-coupled microstrip lines. B.J. Janiczak p23
Radiation characteristics and polarisation of undulated microstrip line antennas. L. Shafai and A.A. Sebak p433
Upper and lower bounds on mode capacitances for a large class of anisotropic multilayered microstrip-like transmission lines. F. Medina and M. Horno p157

MICROWAVE ACTIVE COMPONENTS

Microstrip circuit for converting microwave low power to DC energy. T. Razban, M. Bouthinon and A. Coumes p107
Modern approaches to broadband matching problems. B.S. Yarman p87
Noise parameters of embedded noisy two-port networks. J. Engberg p17
Phase constant characteristics of generalised asymmetric three-coupled microstrip lines. B.J. Janiczak p23

MICROWAVE CIRCUITS AND NETWORKS

Automatic stepped-frequency six-port reflectometer for WG22. L.D. Hill and E.J. Griffin p77
Circular-electric-mode hybrid coupler. A.J. Sangster and D.J. McIntosh p164
Equivalent-circuit models for frequency-selective surfaces at oblique angles of incidence. C.K. Lee and R.J. Langley p395
Fast, accurate computational method for asymmetric coupled microstrip parameters. E.A.F. Abdallah and N.A. El-Deeb p69
Modern approaches to broadband matching problems. B.S. Yarman p87
Noise parameters of embedded noisy two-port networks. J. Engberg p17
Phase constant characteristics of generalised asymmetric three-coupled microstrip lines. B.J. Janiczak p23
Single-layer multiband frequency-selective surfaces. C.K. Lee, R.J. Langley and E.A. Parker p411
Upper and lower bounds on mode capacitances for a large class of anisotropic multilayered microstrip-like transmission lines. F. Medina and M. Horno p157

MICROWAVE MEASUREMENTS

Automatic stepped-frequency six-port reflectometer for WG22. L.D. Hill and E.J. Griffin p77
Calibration of multiport reflectometers. S.K. Judah p468
New possibilities for phaseless microwave diagnostics. Part 1: Error reduction techniques. A.P. Anderson and S. Sali p291
New possibilities for phaseless microwave diagnostics. Part 2: The uniqueness problem and half plane imaging. S. Sali p299
Permittivity measurements using a frequency-tuned microwave TE_{01} cavity resonator. E. Ni and U. Stumper p27
Six port reflectometer for the 75–105 GHz band. L.D. Hill p141

MICROWAVE PASSIVE COMPONENTS

Circular-electric-mode hybrid coupler. A.J. Sangster and D.J. McIntosh p164
Coaxial waveguide to circular cylindrical waveguide junction. A.J. Sangster and D.J. McIntosh p203
Contour-integral equation formulation of complex gyrator admittance of junction circulators using triangular resonators. J. Helszajn p255
Eigenfrequency distributions in multimode cavities. R.F.B. Turner, W.A.G. Voss, W.R. Tinga and H.P. Baltes p82
High-power tunable YIG filters. J. Clarke and M.R.B. Dunsmore p251
New MIC 4-port circulator based on ferrite loaded microstrip-slot coupler. W. John and G. Boeck p227
Quasioptical components for 230 GHz and 460 GHz. G.A. Ediss, Wang. S-J and N.J. Keen p99
Theory of the grating coupler for a grounded-dielectric-slab-waveguide. W.S. Park and S.R. Seshadri p149

MICROWAVE SYSTEMS

Antenna pattern degradation due to tower guy wires on microwave radio systems. W.S. Davies, S.J. Hurren, E.D.S. Fall and P.R. Copeland p181
Field and power-density calculations in closed microwave systems by three-dimensional finite differences. M. De Pourcq p360
Microstrip circuit for converting microwave low power to DC energy. T. Razban, M. Bouthinon and A. Coumes p107
Modern approaches to broadband matching problems. B.S. Yarman p87
Time-domain microwave target imaging. W.K. Yeung and S. Evans p345

MILLIMETRE WAVE DEVICES AND COMPONENTS

Automatic stepped-frequency six-port reflectometer for WG22. L.D. Hill and E.J. Griffin p77
Design of a millimetre-wave ferrite isolator at 28.5 GHz. A. Beyer and I. Wolff p244
Dual-mode horns at millimetre and submillimetre wavelengths. G.A. Ediss p215
Nonreciprocal coupling in dielectric image lines. A. Nicol and L.E. Davis p269
Six port reflectometer for the 75–105 GHz band. L.D. Hill p141

NUMERICAL ANALYSIS

Dual-potential problems in transmission lines with limited or no symmetry. P. Daly p351
Fast, accurate computational method for asymmetric coupled microstrip parameters. E.A.F. Abdallah and N.A. El-Deeb p69
Field and power-density calculations in closed microwave systems by three-dimensional finite differences. M. De Pourcq p360
General integral equation formulation for microstrip antennas and scatterers. J.R. Mosig and F.E. Gardiol p424
General method for the computation of radiation in stratified media. J.J.H. Wang p58
Recent developments in the analysis of reflector antennas. A review. G. Franceschetti and A. Mohsen p447
TE-scattering from a conducting strip loaded by a dielectric cylinder. M.D.G. Karunaratne, K.A. Michalski and C.M. Butler p375
TM scattering from a conducting strip loaded by a dielectric cylinder. M.D.G. Karunaratne, K.A. Michalski and C.M. Butler p115

RADAR AND RADIONAVIGATION

Time-domain microwave target imaging. W.K. Yeung and S. Evans p345

RADIO-WAVE PROPAGATION (IONOSPHERIC)

Exact ray path calculations in a modified Bradley/Dudeney model ionosphere. J.D. Milsom p33
Wave-hop method of calculating propagation at LF and VLF, and stationary phase. W.C. Bain p138

RADIO-WAVE PROPAGATION (MICROWAVE)

Effect of common volume models on bistatic scattering and interface calculations. D.G. Charlton, A.R. Holt and B.G. Evans p440
Model of rainfall-rate distribution for radio system design. F. Moupfouma p39

RADIO-WAVE PROPAGATION (TROPOSPHERIC)

Effect of common volume models on bistatic scattering and interface calculations. D.G. Charlton, A.R. Holt and B.G. Evans p440

SATELLITE LINKS AND SPACE COMMUNICATION

Optimisation of contoured beams for satellite antennas. P.D. Patel and K.K. Chan p400
Shaped dual-offset antenna with dielectric cone feed for DBS reception. E.E. Voglis and A.D. Olver p110

SUBMILLIMETRE SYSTEMS

Dual-mode horns at millimetre and submillimetre wavelengths. G.A. Ediss p215
Quasioptical components for 230 GHz and 460 GHz. G.A. Ediss, Wang. S-J and N.J. Keen p99

TRANSISTORS

A load-pull technique for the determination of transistor *S* parameters under large-signal conditions. M.A. Osborne and G.B. Morgan p419

TRANSMISSION LINES

Dual-potential problems in transmission lines with limited or no symmetry. P. Daly p351
Estimation of the characteristic impedance of a transmission line by variational methods. T.D. Tsiboukis p171
Generalised transmission line model for microstrip patches. A.K. Bhattacharyya and R. Garg p93
Rigorous field theory analysis of quasiplanar waveguides. J. Bornemann p1
Some extensions of the concept of complementary electromagnetic structures. B.D. Popović and A. Nešić p131
Upper and lower bounds on mode capacitances for a large class of anisotropic multilayered microstrip-like transmission lines. F. Medina and M. Horno p157

WAVEGUIDES AND WAVEGUIDE COMPONENTS

18–26 GHz finline resonance isolators using hexagonal ferrites. J. Helszajn and W. Thorpe p73
Asymptotic study of rotationally symmetric waves in a circular anisotropic waveguide. K.P. Ivanov and G.N. Georgiev p261
Circular-electric-mode hybrid coupler. A.J. Sangster and D.J. McIntosh p164
Coaxial waveguide to circular cylindrical waveguide junction. A.J. Sangster and D.J. McIntosh p203
Coaxially fed hollow probe in a rectangular waveguide. A.G. Williamson p273
Design of a 90° 12 GHz Faraday rotator polariser using a cavity technique. J. Helszajn p237
Eigenfrequency distributions in multimode cavities. R.F.B. Turner, W.A.G. Voss, W.R. Tinga and H.P. Baltes p82

Finite-element analysis of helical phase shifters. S. Kal and N.B. Chakraborti p231
Finite-element analysis of the shielded cylindrical dielectric resonator. P.S. Kooi, M.S. Leong and A.L. Satya Prakash p7
New techniques for absolute temperature compensation of tunable resonant cavities. S.A. Adeniran p471
Nonreciprocal wave propagation in a hollow image guide with a ferrite layer. S.W. Yun and T. Itoh p222
Permittivity measurements using a frequency-tuned microwave TE_{01} cavity resonator. E. Ni and U. Stumper p27
Propagation characteristics of rectangular corrugated waveguides. A.A.S. Obaid, T.S.M. Maclean and M. Razaz p413
Rigorous field theory analysis of quasiplanar waveguides. J. Bornemann p1
Six port reflectometer for the 75–105 GHz band. L.D. Hill p141
Theory of the grating coupler for a grounded-dielectric-slab-waveguide. W.S. Park and S.R. Seshadri p149

Book Review

Microwave imaging with large antenna arrays. B.D. Steinberg p57